

## SAFETY DATA SHEET

Compilation Date: 15.05.2018  
Revision Date: 15.05.2023  
Revision No.: 2

### Section 1. Identification of the material and the supplier

<b>Product:</b>	Tristel DUO OPH Base Solution
<b>Product Use:</b>	To be used with Tristel DUO OPH Activator Solution. For professional use only. Uses advised against: Uses other than the intended use of the product.
<b>Restrictions of use:</b>	Refer to Section 15
<b>New Zealand Supplier:</b>	<b>Tristel New Zealand Limited</b> 23 Birch Ave, Judea Tauranga, 3110
<b>Telephone:</b>	+64 (7) 577 1560
<b>Fax Number:</b>	+64 (7) 577 1567
<b>Email:</b>	info@tristel.co.nz
<b>Emergency No:</b>	0800 764 766 (National Poison Centre)
<b>Australian Supplier:</b>	<b>Tristel Pty Ltd</b> Unit 44, 328 Reserve Road Cheltenham, VIC, 3192
<b>Telephone No:</b>	1300 680 898 (within Australia) +61 3 958 36181 (outside Australia)
<b>Emergency No:</b>	13 11 26 (National Poison Line)

### Section 2. Hazards Identification

**Australia – This mixture is hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals, 3rd Revised Edition**

**NZ - This mixture is hazardous according to EPA Hazardous Substances (Classification) Notice 2020**

**NZ - EPA Approval Code: HSR002503**

Pictogram:



Signal Word: WARNING

HSNO Class.	Hazard Code	Hazard Statement	GHS Category
6.4A	H319	Causes serious eye irritation	Category 2A

Prevention Code	Prevention Statement
P280	Wear eye protection.

Response Code	Response Statement
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice.

### Section 3. Composition of hazardous Ingredients

Hazardous Ingredients	CAS NUMBER	GHS Classification	Percentage %
Citric Acid Monohydrate	5949-29-1	Eye Irrit.2: H319	1-10
1-Decanamine, N, N-dimethyl-N-oxide	2605-79-0	Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Acute Tox. 4: H302	<1

### Section 4. First Aid Measures

#### Routes of Exposure:

If in Eyes	Bathe the eye with running water for 15 minutes. Seek medical attention if eye irritation persists.
If on Skin	Wash immediately with plenty of soap and water.
If Swallowed	Wash out mouth with water.
If Inhaled	Move to fresh air in case of accidental inhalation of vapours.

**Most important symptoms and effects, both acute and delayed**

Eye contact	There may be irritation and redness.
Ingestion	There may be irritation of the throat.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest.

**Section 5. Fire Fighting Measures**

<b>Hazard Type</b>	The product is not flammable.
<b>Hazards from products</b>	In combustion emits toxic fumes.
<b>Suitable Extinguishing media</b>	Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.
<b>Precautions for firefighters and special protective clothing</b>	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.
<b>HAZCHEM CODE</b>	None allocated

**Section 6. Accidental Release Measures**

For personal protection, see Section 8. Evacuate all unprotected personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Prevent product from entering drains. Dispose of according to Local Regulations.

**Section 7. Handling and Storage****Handling:**

- Read label before use.
- Ensure there is sufficient ventilation of the area.
- Wear protective eye protection.

**Storage:**

- Store in cool, well ventilated area.
- Keep container tightly closed.
- Store away from incompatible materials listed in Section 10.

**Section 8 Exposure Controls / Personal Protection****WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

Substance	TWA ppm mg/m <sup>3</sup>	STEL ppm mg/m <sup>3</sup>
-----------	------------------------------	-------------------------------

No ingredients have exposure limits

## Engineering Controls

Ensure there is sufficient ventilation of the area.

## Personal Protection Equipment

<b>Eyes</b>	Wear safety glasses. Ensure eye bath is to hand.
<b>Respiratory</b>	Respiratory protection not required.
<b>Skin</b>	Protective gloves

## Section 9 Physical and Chemical Properties

<b>Appearance</b>	Liquid
<b>Colour</b>	Blue
<b>Odour</b>	Not available
<b>Odour Threshold</b>	Not available
<b>pH</b>	2.0-3.0
<b>Boiling Point</b>	Not available
<b>Melting Point</b>	Not available
<b>Freezing Point</b>	Not available
<b>Flash Point</b>	Not available
<b>Flammability</b>	Not available
<b>Upper and Lower Explosive Limits</b>	Not available
<b>Vapour Pressure</b>	Not available
<b>Vapour Density</b>	Not available
<b>Relative Density</b>	1.020 – 1.030
<b>Solubility</b>	Not available
<b>Partition Coefficient:</b>	Not available
<b>Auto Ignition temp</b>	Not available
<b>Oxidising</b>	Not available
<b>Viscosity</b>	Not available
<b>Evaporation Rate</b>	Not available
<b>VOC</b>	Not available
<b>Solid content</b>	Not available
<b>VOC</b>	Not available

## Section 10. Stability and Reactivity

<b>Stability of Substance</b>	Stable under recommended handling and storage conditions.
<b>Conditions to Avoid</b>	Heat.
<b>Incompatible Materials</b>	Strong oxidising agents. Strong Acids.
<b>Hazardous Decomposition Products</b>	In combustion emits toxic fumes.

**Section 11 Toxicological Information****Acute Effects:**

<b>Ingestion</b>	There may be irritation of throat.
<b>Inhalation</b>	There may be irritation of the throat with a feeling of tightness in the chest.
<b>Eye Contact</b>	There may be irritation and redness.
<b>Skin Contact</b>	There may be mild irritation at site of contact.

**Chronic Effects:**

<b>Carcinogenicity</b>	Not applicable.
<b>Reproductive Toxicity</b>	Not applicable.
<b>Germ Cell Mutagenicity</b>	Not applicable.
<b>Aspiration</b>	Not applicable.
<b>STOT/SE</b>	Not applicable.
<b>STOT/RE</b>	Not applicable.

**Section 12. Ecotoxicological Information**

HSNO Classes: Not applicable

<b>Persistence and degradability</b>	Biodegradable.
<b>Bioaccumulation</b>	No bioaccumulation potential.
<b>Mobility in Soil</b>	Readily absorbed into soil. Not classified as environmentally hazardous.
<b>Other adverse effects</b>	No data available

**Hazardous ingredients:**

CITRIC ACID MONOHYDRATE

FISH	96H LC50	440-706	mg/l
------	----------	---------	------

1-DECANAMINE, N, N-DIMETHYL-N-OXIDE

FISH	96H LC50	2.67	mg/l
------	----------	------	------

**Section 13. Disposal Precautions**

Disposal Method: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**Section 14                      Transport Information**

This product is NOT classified as a Dangerous Good for transport in Australia; ADG 7.7

This product is NOT classified as a Dangerous Good for transport: NZS 5433:2020

**Section 15                      Regulatory Information****Australia:**

Australia – This mixture is hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals, 3rd Revised Edition

Poison Schedule No: None assigned

**New Zealand:**

EPA Approval Code: HSR002503

HSNO Classification: 6.4A

**HSNO Controls in New Zealand:**

	Trigger Quantity
Approved Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	Not required
Emergency Response Plan	Not required
Secondary Containment	Not required
Restriction of Use	None

**Section 16                      Other Information**

Date SDS prepared: 15.05.2023

Date SDS due for review: 15.05.2028

**Glossary**

EC <sub>50</sub>	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
LC <sub>50</sub>	Lethal concentration that will kill 50% of the test organisms.
LD <sub>50</sub>	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.

Product Name: Tristel DUO OPH Base Solution

Date of SDS: 15.05.2023

Date SDS due for review: 15.05.2028

UEL  
WES

Upper Explosive Level  
Workplace Exposure Limit

1. EPA Hazardous Substances (Safety Data Sheets) Notice June 2021
2. Safe Work Australia NOHSC 2011 National Code of Practice.

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WES-STEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices JUNE 2016 8TH EDITION.

### Disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Please contact the distributor, Tristel, if further information is required.