

SAFETY DATA SHEET

Compilation Date: 17.10.2018 Revision Date: 18.05.2023

Revision No.: 3

Section 1. Identification of the material and the supplier

Product: Tristel Fuse for Stella Activator Solution

Product Use: To be used with Tristel Fuse for Stella Base Solution. For

professional use only. Uses advised against: Uses other than the

intended use of the product.

Restrictions of use: Refer to Section 15

New Zealand Supplier: Tristel New Zealand Limited

23 Birch Ave, Judea Tauranga, 3110

 Telephone:
 +64 (7) 577 1560

 Fax Number:
 +64 (7) 577 1567

 Email:
 info@tristel.co.nz

Emergency No: 0800 764 766 (National Poison Centre)

Australian Supplier: Tristel Pty Ltd

Unit 44, 328 Reserve Road Cheltenham, VIC, 3192

Telephone No: 1300 680 898 (within Australia)

+61 3 958 36181 (outside Australia)

Email: mail-au@tristel.com

Emergency No: 13 11 26 (National Poison Line)

Section 2. Hazards Identification

Australia — This mixture is hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals, 3rd Revised Edition

NZ - This mixture is hazardous according to EPA Hazardous Substances (Classification) Notice 2020

NZ - EPA Approval Code: None assigned.

Pictogram:



Product Name: Tristel Fuse for Stella Activator Solution

Date of SDS: 18.05.2023

Signal Word: WARNING

HSNO Class.	Hazard Code	Hazard Statement	GHS Category
6.3A	H315	Causes skin irritation	Category 2
6.4A	H319	Causes serious eye irritation	Category 2

P280	Wear protective gloves/protective clothing/eye protection
P103	Read label before use.

Response Code Response Statement

P302 + P352	IF ON SKIN: Wash with plenty of water.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P332+ 313	If skin irritation occurs: Get medical advice.
P337 + 313	If eye irritation persists: Get medical advice.

Section 3. Composition of hazardous Ingredients

SODIUM CHLORITE

EINECS	CAS	GHS Classification	Percent
231-836-8	7758-19-2	Ox.Sol.1, H271; Acute Tox.3, H301; Acute Tox.2, H310; Acute Tox.2, H330; STOT SE 2, H373; Skin	1-5%
		Corr.1B, H314; Eye Dam.1, H318; Aquatic Acute 1, H400; Aquatic Chronic 3; H412	

Section 4.	First Aid Measures

Routes of Exposure:

If in Eyes Rinse eyes with water and seek medical advice if irritation persists.

If on Skin Wash immediately with plenty of soap and water. If skin irritation or rash occurs:

Get medical advice.

If Swallowed Wash out mouth with water.

If Inhaled Move to fresh air in case of accidental inhalation of vapours.

Most important symptoms and effects, both acute and delayed

Skin contact There may be mild irritation at the site of contact.

Eye contact There may be irritation and redness.

Product Name: Tristel Fuse for Stella Activator Solution

Date of SDS: 18.05.2023

Ingestion There may be irritation of the throat.

Inhalation There may be irritation of the throat with a feeling of tightness in the chest.

Section 5.	Fire Fighting Measures	
Jection 5.	The righting Measures	

Hazard Type	The product is not flammable.
Hazards from products	In combustion emits toxic fumes.
Suitable Extinguishing	Suitable extinguishing media for the surrounding fire should be used. Use
media	water spray to cool containers.
Precautions for	Wear self-contained breathing apparatus. Wear protective clothing to prevent
firefighters and special	contact with skin and eyes.
protective clothing	
HAZCHEM CODE	None allocated

Section 6. Accidental Release Measures

For personal protection, see Section 8. Evacuate all unprotected personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Prevent product from entering drains. Dispose of according to Local Regulations.

Section 7. Handling and Storage

Handling:

- Read label before use.
- Avoid direct contact with the substance.
- Avoid the formation or spread of mists in the air.
- Do not breathe fumes or vapours or spray.
- Use only in a well-ventilated area.
- Wear protective gloves/protective clothing/eye protection.

Storage:

- Store in cool, well ventilated area.
- Keep container tightly closed.
- Do not allow product to come into contact with acids.
- Store away from incompatible materials listed in Section 10.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS

TWA STEL
Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Product Name: Tristel Fuse for Stella Activator Solution

Date of SDS: 18.05.2023

Engineering Controls

Ensure there is sufficient ventilation of the area.

Personal Protection Equipment

Eyes	Wear safety glasses. Ensure eye bath is to hand.
Hands and Skin	Wear suitable gloves and protective clothing.
Respiratory	Respiratory protection not required.

Section 9 Physical and Chemical Properties

Appearance	Liquid
Colour	Colourless
Odour	Not available
Odour Threshold	Not available
рН	9.2-12.2
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Upper and Lower Explosive	Not available
Limits	
Vapour Pressure	Not available
Vapour Density	Not available
Relative Density	1.010 - 1.020
Solubility	Not available
Partition Coefficient:	Not available
Auto Ignition temp	Not available
Oxidising	Not available
Viscosity	Not available
Evaporation Rate	Not available
VOC	Not available
Solid content	Not available
VOC	Not available

Section 10. Stability and Reactivity

Stability of Substance	Stable under recommended handling and storage conditions.
Conditions to Avoid	Heat.
Incompatible Materials	Strong oxidising agents. Strong Acids.
Hazardous Decomposition	In combustion emits toxic fumes.
Products	

Product Name: Tristel Fuse for Stella Activator Solution

Date of SDS: 18.05.2023

Section 11	Toxicological Information

Acute Effects:

Ingestion	There may be irritation of throat.	
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest.	
Eye	There may be irritation and redness.	
Skin	There may be irritation at the site of contact.	

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Section 12. Ecotoxicological Information

HSNO Classes: Not applicable

Persistence and degradability	Biodegradable.	
Bioaccumulation No bioaccumulation potential.		
Mobility in Soil	Readily absorbed into soil. Not classified as environmentally	
	hazardous.	
Other adverse effects	No data available	

Hazardous ingredients:

SODIUM CHLORITE

Daphnia magna	48H EC50	0.29	mg/l
FISH	96H LC50	265-310	mg/l

Section 13. Disposal Precautions

Disposal Method: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14 Transport Information

This product is not classified as a Dangerous Good for transport in Australia; ADG 7.7

This product is not classified as a Dangerous Good for transport: NZS 5433:2020

Product Name: Tristel Fuse for Stella Activator Solution

Date of SDS: 18.05.2023

Section 15 Regulatory Information

Australia:

Australia — This substance is hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals, 3rd Revised Edition

Poison Schedule No: None assigned

New Zealand:

EPA Approval Code: None assigned.

HSNO Classification: 6.3A, 6.4A

HSNO Controls in New Zealand:

	Trigger Quantity
Approved Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	Not required
Emergency Response Plan	Not required
Secondary Containment	Not required
Restriction of Use	None

Section 16 Other Information

Date SDS prepared: 18.05.2023

Date SDS due for review: 18.05.2028

Glossary

EC₅₀ Median effective concentration.
EEL Environmental Exposure Limit.
EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

Lethal concentration that will kill 50% of the test organisms.

Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice June 2021.
- 2. Safe Work Australia NOHSC 2011 National Code of Practice.

Product Name: Tristel Fuse for Stella Activator Solution

Date of SDS: 18.05.2023

Disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Please contact the distributor, Tristel, if further information is required.

Product Name: Tristel Fuse for Stella Activator Solution

Date of SDS: 18.05.2023