

### Section 1. Identification of the material and the supplier

<b>Product:</b>	Tristel DUO NCU Activator Solution
<b>Product Use:</b>	To be used with Tristel DUO NCU Base Solution. For professional use only. Uses advised against: Uses other than the intended use of the product.
<b>Restrictions of use:</b>	Refer to Section 15
<b>New Zealand Supplier:</b>	<b>Tristel New Zealand Limited</b> 23 Birch Ave, Judea Tauranga, 3110
<b>Telephone:</b>	+64 (7) 577 1560
<b>Fax Number:</b>	+64 (7) 577 1567
<b>Email:</b>	info@tristel.co.nz
<b>Emergency No:</b>	0800 764 766 (National Poison Centre)
<b>Australian Supplier:</b>	<b>Tristel Pty Ltd</b> Unit 44, 328 Reserve Road Cheltenham, VIC, 3192
<b>Telephone No:</b>	1300 680 898 (within Australia) +61 3 958 36181 (outside Australia)
<b>Emergency No:</b>	13 11 26 (National Poison Line)

### Section 2. Hazards Identification

**Australia – This mixture is non-hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals, 3rd Revised Edition**

**NZ - This mixture is non-hazardous according to EPA Hazardous Substances (Classification) Notice 2020**

**NZ - EPA Approval Code:** None assigned

**Section 3. Composition of hazardous Ingredients**

Hazardous Ingredients	CAS NUMBER	GHS Classification	Percentage %
Sodium Chlorite 100%	7758-19-2	Eye Dam. 1: H318; Ox. Sol. 1: H271; Acute Tox. 3: H301; Acute Tox. 2: H310; Skin Corr. 1B: H314; Aquatic Acute 1: H400; STOT RE 2: H373; Aquatic Chronic 3: H412	<1
1-Decanamine, N, N-dimethyl-N-oxide	2605-79-0	Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Acute Tox. 4: H302	<1

**Section 4. First Aid Measures**

Routes of Exposure:

If in Eyes	Rinse eyes with water and seek medical advice if irritation persists.
If on Skin	Wash immediately with plenty of soap and water.
If Swallowed	Wash out mouth with water.
If Inhaled	Move to fresh air in case of accidental inhalation of vapours.

**Most important symptoms and effects, both acute and delayed**

Ingestion	There may be irritation of the throat.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest.

**Section 5. Fire Fighting Measures**

<b>Hazard Type</b>	The product is not flammable.
<b>Hazards from products</b>	In combustion emits toxic fumes.
<b>Suitable Extinguishing media</b>	Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.
<b>Precautions for firefighters and special protective clothing</b>	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.
<b>HAZCHEM CODE</b>	None allocated

Product Name: Tristel DUO NCU Activator Solution  
Date of SDS: 15.05.2023  
Date SDS due for review: 15.05.2028

**Section 6. Accidental Release Measures**

For personal protection, see Section 8. Evacuate all unprotected personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Prevent product from entering drains. Dispose of according to Local Regulations.

**Section 7. Handling and Storage****Handling:**

- Read label before use.
- Avoid direct contact with the substance.
- Avoid the formation or spread of mists in the air.
- Use only in a well-ventilated area.

**Storage:**

- Store in cool, well ventilated area.
- Keep container tightly closed.
- Store away from incompatible materials listed in Section 10.

**Section 8 Exposure Controls / Personal Protection****WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

Substance	TWA		STEL	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>

No ingredients have exposure limits

**Engineering Controls**

Ensure there is sufficient ventilation of the area.

**Personal Protection Equipment**

<b>Respiratory</b>	Respiratory protection not required.
<b>Skin</b>	Product is classified as non-hazardous
<b>Eye</b>	Product is classified as non-hazardous

**Section 9 Physical and Chemical Properties**

<b>Appearance</b>	Liquid
<b>Colour</b>	Colourless
<b>Odour</b>	Not available

Product Name: Tristel DUO NCU Activator Solution  
 Date of SDS: 15.05.2023  
 Date SDS due for review: 15.05.2028

Odour Threshold	Not available
pH	10.3-11.3
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Relative Density	1.000 – 1.010
Solubility	Not available
Partition Coefficient:	Not available
Auto Ignition temp	Not available
Oxidising	Not available
Viscosity	Not available
Evaporation Rate	Not available
VOC	Not available
Solid content	Not available
VOC	Not available

#### Section 10. Stability and Reactivity

Stability of Substance	Stable under recommended handling and storage conditions.
Conditions to Avoid	Heat.
Incompatible Materials	Strong oxidising agents. Strong Acids.
Hazardous Decomposition Products	In combustion emits toxic fumes.

#### Section 11 Toxicological Information

##### Acute Effects:

Ingestion	There may be irritation of throat.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest.
Skin contact	There may be mild irritation at site of contact.
Eye contact	There may be irritation and redness.

##### Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Product Name: Tristel DUO NCU Activator Solution  
Date of SDS: 15.05.2023  
Date SDS due for review: 15.05.2028

**Section 12. Ecotoxicological Information**

HSNO Classes: Not applicable

<b>Persistence and degradability</b>	Biodegradable.
<b>Bioaccumulation</b>	No bioaccumulation potential.
<b>Mobility in Soil</b>	Readily absorbed into soil. Not classified as environmentally hazardous.
<b>Other adverse effects</b>	No data available

**Hazardous ingredients:**

SODIUM CHLORITE 100%

Daphnia magna	48H EC50	0.29	mg/l
FISH	96H LC50	265-310	mg/l

1-DECANAMINE, N, N-DIMETHYL-N-OXIDE

FISH	96H LC50	2.67	mg/l
------	----------	------	------

**Section 13. Disposal Precautions**

Disposal Method: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**Section 14 Transport Information**

This product is NOT classified as a Dangerous Good for transport in Australia; ADG 7.7

This product is NOT classified as a Dangerous Good for transport: NZS 5433:2020

**Section 15 Regulatory Information****Australia:**

Australia – This mixture is non-hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals, 3rd Revised Edition

Poison Schedule No: None assigned

**New Zealand:**

EPA Approval Code: None assigned

Product Name: Tristel DUO NCU Activator Solution  
Date of SDS: 15.05.2023  
Date SDS due for review: 15.05.2028

Date SDS prepared: 15.05.2023

Date SDS due for review: 15.05.2028

### Glossary

EC <sub>50</sub>	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
LC <sub>50</sub>	Lethal concentration that will kill 50% of the test organisms.
LD <sub>50</sub>	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

1. EPA Hazardous Substances (Safety Data Sheets) Notice June 2021
2. Safe Work Australia NOHSC 2011 National Code of Practice.

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WES-STEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices JUNE 2016 8TH EDITION

### Disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Please contact your local Tristel distributor if further information is required.