

## TRISTEL FUSE FOR SURFACES ACTIVATOR SOLUTION

Page: 1

Compilation date: 22/06/2012

**Revision date:** 03/08/2017

Revision No: 5

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name: TRISTEL FUSE FOR SURFACES ACTIVATOR SOLUTION

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: To be used in conjunction with Tristel Fuse for Surfaces Base solution. For professional

use only. Uses advised against: Uses other than the intended use of the product.

# 1.3. Details of the supplier of the safety data sheet

Company name: Tristel Solutions Limited

Lynx Business Park
Fordham Road
Newmarket

Cambridgeshire

CB8 7NY

United Kingdom

**Tel:** +44 (0) 1638 721 500 **Fax:** +44 (0) 1638 721 911

Email: <u>healthandsafety@tristel.com</u>

## 1.4. Emergency telephone number

Emergency tel: +44 (0) 1638 721 500

(office hours only)

### Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CLP: Skin Irrit. 2: H315; Eye Irrit. 2: H319; -: EUH032

Most important adverse effects: Contact with acids liberates very toxic gas. Causes skin irritation. Causes serious eye

irritation.

# 2.2. Label elements

Label elements:

Hazard statements: EUH032: Contact with acids liberates very toxic gas.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

Hazard pictograms: GHS07: Exclamation mark



## TRISTEL FUSE FOR SURFACES ACTIVATOR SOLUTION

Page: 2

Signal words: Warning

Precautionary statements: P280: Wear protective gloves/protective clothing/eye protection.

P302+352: IF ON SKIN: Wash with plenty of water/.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+313: If skin irritation occurs: Get medical advice. P337+313: If eye irritation persists: Get medical advice.

### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

## **Hazardous ingredients:**

### **SODIUM CHLORITE 100%**

EINECS	CAS	PBT / WEL	CLP Classification	Percent
231-836-6	7758-19-2	-	Eye Dam. 1: H318; Ox. Sol. 2: H272;	1-10%
		Acute Tox. 4: H302; Acute Tox. 3: H311;		
		Skin Corr. 1B: H314; Aquatic Acute 1:		
			H400; STOT RE 2: H373; -: EUH032	

### Section 4: First aid measures

## 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. If skin irritation or rash occurs: Get

medical advice.

Eye contact: Rinse eyes with water and seek medical advice if irritation persists.

Ingestion: Wash out mouth with water.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

## 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

# 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

## 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

## TRISTEL FUSE FOR SURFACES ACTIVATOR SOLUTION

Page: 3

## 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

## 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

### Section 7: Handling and storage

# 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

# 7.3. Specific end use(s)

Specific end use(s): To be used in conjunction with Tristel Fuse for Surfaces Base solution. For professional

use only.

# Section 8: Exposure controls/personal protection

## 8.1. Control parameters

Hazardous ingredients:

**SODIUM CHLORITE 100%** 

## TRISTEL FUSE FOR SURFACES ACTIVATOR SOLUTION

Page: 4

# Workplace exposure limits:

### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	-	0.41mg/m3		-

### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

# Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Evaporation rate: No data available.

Oxidising: No data available.

Solubility in water: No data available.

Viscosity: No data available.

Boiling point/range°C: No data available. Melting point/range°C: No data available.

Flammability limits %: lower: No data available. upper: No data available.

Flash point°C: No data available. Part.coeff. n-octanol/water: No data available.

**Autoflammability°C:** No data available. **Vapour pressure:** No data available.

**Relative density:** 1.010-1.020 **pH:** 9.2-12.2

VOC g/l: No data available.

### 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

# 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

## TRISTEL FUSE FOR SURFACES ACTIVATOR SOLUTION

Page: 5

### 10.4. Conditions to avoid

Conditions to avoid: Heat.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# **Section 11: Toxicological information**

### 11.1. Information on toxicological effects

### Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

## Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.Ingestion: There may be irritation of the throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

## Section 12: Ecological information

## 12.1. Toxicity

### Hazardous ingredients:

### **SODIUM CHLORITE 100%**

Daphnia magna	48H EC50	0.29	mg/l
FISH	96H LC50	265-310	mg/l

### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

# 12.4. Mobility in soil

Mobility: Readily absorbed into soil. Not classified as environmentally hazardous.

## 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

## TRISTEL FUSE FOR SURFACES ACTIVATOR SOLUTION

Page: 6

### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

### Section 13: Disposal considerations

### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

## **Section 14: Transport information**

## 14.1. UN number

UN number: Not applicable

### 14.2. UN proper shipping name

Shipping name: NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS.

### 14.3. Transport hazard class(es)

Transport class: Not applicable (Not+applicable)

### 14.4. Packing group

Packing group: Not applicable

### 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

### 14.6. Special precautions for user

**Special precautions:** No special precautions.

Tunnel code: Not applicable

Transport category: Not applicable

IMDG seg. group: NOT APPLICABLE

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk: Not applicable

# **Section 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: This product has been classified in accordance with CLP and CHIP regulations and

compiled in accordance with Annex II of REACH.

## 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

## TRISTEL FUSE FOR SURFACES ACTIVATOR SOLUTION

Page: 7

### **Section 16: Other information**

### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH032: Contact with acids liberates very toxic gas.

H272: May intensify fire; oxidiser.

H302: Harmful if swallowed.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H400: Very toxic to aquatic life.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.