

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: MEDISTEL IMMERSIBLE INSTRUMENT AND EQUIPMENT DISINFECTANT

Product code: MD311

UFI: 9R80-Y030-300E-HWYA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Instrument Disinfectant. For professional use only. Uses advised against: Uses other than the intended use of the product.

1.3. Details of the supplier of the safety data sheet

Company name: Tristel Solutions Limited

Lynx Business Park

Fordham Road

Newmarket

Cambridgeshire

CB8 7NY

United Kingdom

Tel: +44 (0) 1638 721 500

Fax: +44 (0) 1638 721 911

Email: SDS@tristel.com

1.4. Emergency telephone number

Emergency tel: National Poisons Information Service, UK NPIS

0344 892 0111

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Skin Corr. 1B: H314; Skin Sens. 1: H317

Most important adverse effects: Causes severe skin burns and eye damage. May cause an allergic skin reaction. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

MEDISTEL IMMERSIBLE INSTRUMENT AND EQUIPMENT DISINFECTANT

Page: 2

Hazard pictograms: GHS05: Corrosion
GHS07: Exclamation mark
GHS09: Environmental



Signal words: Danger

Precautionary statements: P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection.
P302+P352: IF ON SKIN: Wash with plenty of water.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PROPAN-2-OL - REACH registered number(s): 01-2119457558-25-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336	1-10%

DIDECYLDIMETHYLAMMONIUM CHLORIDE

230-525-2	7173-51-5	-	Acute Tox. 4: H302; Skin Corr. 1B: H314	1-10%
-----------	-----------	---	--	-------

ALKYL(C12-16)DIMETHYLBENZYLAMMONIUM CHLORIDE - REACH registered number(s):01-2119970550-39-0000

270-325-2	68424-85-1	-	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400	1-10%
-----------	------------	---	---	-------

DODECYLAMINE

204-690-6	124-22-1	-	STOT RE 2: H373; Skin Corr. 1B: H314; STOT SE 3: H335; Asp. Tox. 1: H304; Aquatic Chronic 1: H410; Aquatic Acute 1: H400	1-10%
-----------	----------	---	---	-------

ALKYL ETHER CARBOXYLIC ACID

-	107600-34-0	-	Eye Dam. 1: H318	1-10%
---	-------------	---	------------------	-------

[cont...]

SAFETY DATA SHEET

MEDISTEL IMMERSIBLE INSTRUMENT AND EQUIPMENT DISINFECTANT

Page: 3

DISODIUM SALT EDTA - REACH registered number(s): 01-2119486775-20

205-358-3	6381-92-6	-	Acute Tox. 4: H332; STOT RE 2: H373	1-10%
-----------	-----------	---	-------------------------------------	-------

SODIUM BENZOATE - REACH registered number(s): 01-2119460683-35

208-534-8	532-32-1	-	Eye Irrit. 2: H319	<1%
-----------	----------	---	--------------------	-----

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact. Blistering may occur.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the

[cont...]

SAFETY DATA SHEET

MEDISTEL IMMERSIBLE INSTRUMENT AND EQUIPMENT DISINFECTANT

Page: 4

contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.
Not to be mixed with other chemicals

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): Instrument Disinfectant. For professional use only.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

PROPAN-2-OL

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m ³	1250 mg/m ³	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.

Respiratory protection: Respiratory protection not required.

Hand protection: Nitrile gloves. Breakthrough time of the glove material > 8 hours.

Eye protection: Safety glasses. Ensure eye bath is to hand.

[cont...]

SAFETY DATA SHEET

MEDISTEL IMMERSIBLE INSTRUMENT AND EQUIPMENT DISINFECTANT

Page: 5

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Yellow

Odour: Characteristic odour

Evaporation rate: As water

Oxidising: No data available.

Solubility in water: Soluble

Viscosity: No data available.

Boiling point/range°C: 110

Melting point/range°C: No data available.

Flammability limits %: lower: No data available.

upper: No data available.

Flash point°C: No data available.

Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available.

Vapour pressure: No data available.

Relative density: No data available.

pH: 6.25 - 7.75

VOC g/l: No data available.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

[cont...]

SAFETY DATA SHEET

MEDISTEL IMMERSIBLE INSTRUMENT AND EQUIPMENT DISINFECTANT

Page: 6

11.1. Information on toxicological effects

Hazardous ingredients:

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

DIDECYLDIMETHYLAMMONIUM CHLORIDE

IPR	RAT	LD50	45	mg/kg
ORL	MUS	LD50	268	mg/kg

DODECYLAMINE

ORAL	MUS	LD50	1160	mg/kg
ORAL	RAT	LD50	1020	mg/kg

DISODIUM SALT EDTA

ORAL	MUS	LD50	2050	mg/kg
ORAL	RAT	LD50	2000	mg/kg

SODIUM BENZOATE

ORAL	RAT	LD50	>2000	mg/kg
------	-----	------	-------	-------

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact. Blistering may occur.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

[cont...]

SAFETY DATA SHEET

MEDISTEL IMMERSIBLE INSTRUMENT AND EQUIPMENT DISINFECTANT

Page: 7

12.1. Toxicity

Hazardous ingredients:

ALKYL(C12-16)DIMETHYLBENZYLAMMONIUM CHLORIDE

Daphnia magna	48H EC50	0.016	mg/l
---------------	----------	-------	------

SODIUM BENZOATE

FISH	96H LC50	>10	mg/l
------	----------	-----	------

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1903

14.2. UN proper shipping name

Shipping name: DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
(DIDECYLDIMETHYLAMMONIUM CHLORIDE)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: III

[cont...]

SAFETY DATA SHEET

MEDISTEL IMMERSIBLE INSTRUMENT AND EQUIPMENT DISINFECTANT

Page: 8

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

IMDG seg. group: NOT APPLICABLE

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk: Not applicable

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: This product has been classified in accordance with CLP regulations and compiled in accordance with Annex II of REACH.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2020/878

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.
H302: Harmful if swallowed.
H304: May be fatal if swallowed and enters airways.
H314: Causes severe skin burns and eye damage.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H319: Causes serious eye irritation.
H332: Harmful if inhaled.
H335: May cause respiratory irritation.
H336: May cause drowsiness or dizziness.
H373: May cause damage to organs ((Respiratory tract)) through prolonged or repeated exposure ((inhalation (dust/mist))).
H373: May cause damage to organs through prolonged or repeated exposure ((oral)).
H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.
H411: Toxic to aquatic life with long lasting effects.

[cont...]

SAFETY DATA SHEET

MEDISTEL IMMERSIBLE INSTRUMENT AND EQUIPMENT DISINFECTANT

Page: 9

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.