

SECTION 1: Identification**1.1 Product identifier**

Product name : JET PRO ACTIVATOR SOLUTION
Product form : Mixture

1.2 Other means of identification

No additional information available

1.3 Recommended use of the chemical and restrictions on use

Restrictions on use : Uses other than the intended use of the product.

1.4 Details of manufacturer or importer

Manufacturer	Supplier
Tristel Solutions Limited Unit 1B Lynx Business Park Fordham Road Newmarket Cambridgeshire CB8 7NY United Kingdom T +44 (0) 1638 721500 SDS@tristel.com	Tristel New Zealand Ltd 23 Birch Ave, Judea Tauranga, 3110 T +64 (7) 577 1560 info@tristel.com

1.5. Emergency phone number

0800 764 766 Poisons Centre

SECTION 2: Hazard identification**2.1. Classification of the hazardous chemical**

Classification according to the Environmental Protection Authority notices (EPA Hazardous Substances and New Organisms Act 1996)

Serious eye damage/eye irritation, Category 2 H319

2.2. GHS Label elements, including precautionary statements**GHS NZ labelling**

Hazard pictograms (GHS NZ)



Signal word (GHS NZ) : Warning
Hazard statements (GHS NZ) : H319 - Causes serious eye irritation
Prevention : P280 - Wear protective gloves/protective clothing/eye protection.

Response : P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards which do not result in classification

No additional information available

JET PRO ACTIVATOR SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

SECTION 3: Composition and information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
1-DECANAMINE,N,N-DIMETHYL-N-OXIDE	CAS-No.: 2605-79-0	<1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
SODIUM CHLORITE 100%	CAS-No.: 7758-19-2	<1	Ox. Sol. 1, H271 Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
Self protection of the first-aider	: First aid workers will be equipped with suitable personal protective equipment.

4.2. Symptoms caused by exposure

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: May cause moderate irritation.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract.

4.3. Medical attention and special treatment

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

JET PRO ACTIVATOR SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Keep cool. Protect from sunlight.

Storage temperature : 10 – 35 °C

Packaging materials : Always store product in container of same material as original container.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

No additional information available

Exposure limit values for the other components

No additional information available

8.2. Monitoring methods

No additional information available

JET PRO ACTIVATOR SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment : Wear recommended personal protective equipment.
Hand protection : Protective gloves
Eye protection : Safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Ensure there is sufficient ventilation of the area during use.

Personal protective equipment symbol(s)



Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

Physical state : Liquid
Appearance : Liquid.
Colour : Colourless
Odour : characteristic
Odour threshold : No additional information available
pH : 10.3 – 11.3
Evaporation rate : No additional information available
Relative evaporation rate (butylacetate=1) : No data available
Melting point / Freezing point : Melting point: Not applicable
Boiling point : No data available
Flash point : No data available
Auto-ignition temperature : No data available
Flammability : Non flammable.
Vapour pressure : No additional information available
Relative density : No additional information available
Density : Relative density: 1 – 1.01 1.000-1.010
Solubility : No additional information available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Explosive limits : No additional information available
Minimum ignition energy : No data available

SECTION 10: Stability and reactivity

Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.
Conditions to avoid : None under recommended storage and handling conditions (see section 7).
Incompatible materials : No additional information available
Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Toxicity

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

JET PRO ACTIVATOR SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

1-DECANAMINE,N,N-DIMETHYL-N-OXIDE (2605-79-0)

LD50 oral rat	300 – 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)
LD50 oral	300 – 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))

Skin corrosion/irritation	: Not classified pH: 10.3 – 11.3
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

SODIUM CHLORITE 100% (7758-19-2)

IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

SODIUM CHLORITE 100% (7758-19-2)

STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
------------------------	--

1-DECANAMINE,N,N-DIMETHYL-N-OXIDE (2605-79-0)

NOAEL (oral, rat, 90 days)	40 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:
----------------------------	---

Aspiration hazard	: Not classified
-------------------	------------------

SECTION 12: Ecological information

12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
Soil toxicity	: Not classified
Terrestrial vertebrate toxicity	: Not classified
Terrestrial invertebrate toxicity	: Not classified

SODIUM CHLORITE 100% (7758-19-2)

LC50 - Fish [1]	265 – 310 mg/l
EC50 - Other aquatic organisms [1]	0.29 mg/l

12.2. Persistence and degradability

JET PRO ACTIVATOR SOLUTION	
Persistence and degradability	Biodegradability in water: no data available.

SODIUM CHLORITE 100% (7758-19-2)	
Persistence and degradability	Biodegradability in water: no data available.

JET PRO ACTIVATOR SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

1-DECANAMINE,N,N-DIMETHYL-N-OXIDE (2605-79-0)

Persistence and degradability	Rapidly degradable
Biodegradation	97 %

12.3. Bioaccumulative potential

JET PRO ACTIVATOR SOLUTION	
Bioaccumulative potential	No additional information available

12.4. Mobility in soil

JET PRO ACTIVATOR SOLUTION	
Mobility in soil	No additional information available

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal considerations

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

SECTION 14: Transport information

In accordance with IMDG / IATA / UN RTDG

IMDG	IATA	UNRTDG
14.1. UN number		
Not applicable	Not applicable	Not applicable
14.2. UN Proper Shipping Name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Not applicable	Not applicable	Not applicable
No supplementary information available		

14.6. Special precautions for user

Transport by road and rail

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

JET PRO ACTIVATOR SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

14.7. Transport in bulk according to IMO instruments

Not applicable

14.8. Hazchem or Emergency Action Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

15.2. Chemical safety assessment

Australian Inventory of Industrial Chemicals (AICIS)	All substances are listed
--	---------------------------

SECTION 16: Other information

Issue date : 13/11/2025

Full text of H-statements

Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 1	Oxidising Solids, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
H271	May cause fire or explosion; strong oxidiser
H301	Toxic if swallowed
H302	Harmful if swallowed
H310	Fatal in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), New Zealand

JET PRO ACTIVATOR SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SECTION 1: Identification**1.1 Product identifier**

Product name : JET PRO BASE SOLUTION
Product form : Mixture

1.2 Other means of identification

No additional information available

1.3 Recommended use of the chemical and restrictions on use

Restrictions on use : Uses other than the intended use of the product.

1.4 Details of manufacturer or importer

Manufacturer	Supplier
Tristel Solutions Limited Unit 1B Lynx Business Park Fordham Road, Newmarket Cambridgeshire CB8 7NY United Kingdom T +44 (0) 1638 721500 SDS@tristel.com	Tristel New Zealand Ltd 23 Birch Ave, Judea Tauranga, 3110 T +64 (7) 577 1560 info@tristel.com

1.5. Emergency phone number

0800 764 766 Poisons Centre

SECTION 2: Hazard identification**2.1. Classification of the hazardous chemical**

Classification according to the Environmental Protection Authority notices (EPA Hazardous Substances and New Organisms Act 1996)

Serious eye damage/eye irritation, Category 2 H319

2.2. GHS Label elements, including precautionary statements**GHS NZ labelling**

Hazard pictograms (GHS NZ)



Signal word (GHS NZ) : Warning
Hazard statements (GHS NZ) : H319 - Causes serious eye irritation
Prevention : P280 - Wear protective gloves/protective clothing/eye protection.

Response : P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards which do not result in classification

No additional information available

JET PRO BASE SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

SECTION 3: Composition and information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
CITRIC ACID MONOHYDRATE	CAS-No.: 5949-29-1	≥ 5 – < 10	Eye Irrit. 2, H319 STOT SE 3, H335
1-DECANAMINE,N,N-DIMETHYL-N-OXIDE	CAS-No.: 2605-79-0	<1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : If you feel unwell, seek medical advice.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.
Self protection of the first- aider : First aid workers will be equipped with suitable personal protective equipment.

4.2. Symptoms caused by exposure

Symptoms/effects after inhalation : May cause respiratory irritation.
Symptoms/effects after skin contact : May cause moderate irritation.
Symptoms/effects after eye contact : Eye irritation.
Symptoms/effects after ingestion : May cause irritation to the digestive tract.

4.3. Medical attention and special treatment

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.
Explosion hazard : No direct explosion hazard.
General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.
Absorb spillage to prevent material damage.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

JET PRO BASE SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up : Take up liquid spill into absorbent material.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Keep cool. Protect from sunlight.
Storage temperature : 10 – 35 °C
Packaging materials : Always store product in container of same material as original container.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

No additional information available

Exposure limit values for the other components

No additional information available

8.2. Monitoring methods

No additional information available

8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment : Wear recommended personal protective equipment.
Hand protection : Protective gloves
Eye protection : Safety glasses

JET PRO BASE SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

Skin and body protection

: Wear suitable protective clothing

Respiratory protection

: Ensure there is sufficient ventilation of the area during use.

Personal protective equipment symbol(s)



Environmental exposure controls

: Avoid release to the environment.

SECTION 9: Physical and chemical properties

Physical state

: Liquid

Appearance

: Liquid

Colour

: Blue

Odour

: Characteristic odour

Odour threshold

: No additional information available

pH

: 1 – 3.5

Evaporation rate

: No additional information available

Relative evaporation rate (butylacetate=1)

: No data available

Melting point / Freezing point

: Melting point: Not applicable

Boiling point

: No data available

Flash point

: No data available

Auto-ignition temperature

: No data available

Flammability

: Non flammable.

Vapour pressure

: No additional information available

Relative density

: No additional information available

Density

: Relative density: 1.02 – 1.03

Solubility

: No additional information available

Partition coefficient n-octanol/water (Log Pow)

: No data available

Viscosity, dynamic

: No data available

Explosive properties

: No data available

Explosive limits

: No additional information available

Minimum ignition energy

: No data available

SECTION 10: Stability and reactivity

Chemical stability

: Stable under normal conditions.

Possibility of hazardous reactions

: No dangerous reactions known under normal conditions of use.

Conditions to avoid

: None under recommended storage and handling conditions (see section 7).

Incompatible materials

: No additional information available

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Toxicity

Acute toxicity (oral)

: Not classified

Acute toxicity (dermal)

: Not classified

Acute toxicity (inhalation)

: Not classified

CITRIC ACID MONOHYDRATE (5949-29-1)

LD50 oral rat	11700 mg/kg
LD50 dermal rat	> 2000 mg/kg

JET PRO BASE SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

1-DECANAMINE,N,N-DIMETHYL-N-OXIDE (2605-79-0)

LD50 oral rat	300 – 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)
LD50 oral	300 – 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))

Skin corrosion/irritation	: Not classified pH: 1 – 3.5
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

CITRIC ACID MONOHYDRATE (5949-29-1)

STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified

1-DECANAMINE,N,N-DIMETHYL-N-OXIDE (2605-79-0)

NOAEL (oral, rat, 90 days)	40 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:
Aspiration hazard	: Not classified

CITRIC ACID MONOHYDRATE (5949-29-1)

Viscosity, kinematic	Not applicable
----------------------	----------------

SECTION 12: Ecological information

12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
Soil toxicity	: Not classified
Terrestrial vertebrate toxicity	: Not classified
Terrestrial invertebrate toxicity	: Not classified

CITRIC ACID MONOHYDRATE (5949-29-1)

LC50 - Fish [1]	440 – 706 mg/l
LD50 dermal rat	> 2000 mg/kg
LD50 oral rat	11700 mg/kg

12.2. Persistence and degradability

JET PRO BASE SOLUTION

Persistence and degradability	Biodegradability in water: no data available.
-------------------------------	---

CITRIC ACID MONOHYDRATE (5949-29-1)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

JET PRO BASE SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

CITRIC ACID MONOHYDRATE (5949-29-1)

Biodegradation	97 %
----------------	------

1-DECANAMINE,N,N-DIMETHYL-N-OXIDE (2605-79-0)

Persistence and degradability	Rapidly degradable
Biodegradation	97 %

12.3. Bioaccumulative potential

JET PRO BASE SOLUTION

Bioaccumulative potential	No additional information available
---------------------------	-------------------------------------

12.4. Mobility in soil

JET PRO BASE SOLUTION

Mobility in soil	No additional information available
------------------	-------------------------------------

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal considerations

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

SECTION 14: Transport information

In accordance with IMDG / IATA / UN RTDG

IMDG	IATA	UNRTDG
14.1. UN number		
Not applicable	Not applicable	Not applicable
14.2. UN Proper Shipping Name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Not applicable	Not applicable	Not applicable
No supplementary information available		

14.6. Special precautions for user

Transport by road and rail

Not applicable

Transport by sea

Not applicable

JET PRO BASE SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

Air transport

Not applicable

14.7. Transport in bulk according to IMO instruments

Not applicable

14.8. Hazchem or Emergency Action Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

15.2. Chemical safety assessment

Australian Inventory of Industrial Chemicals (AICIS)	All disclosed substances are listed
--	-------------------------------------

SECTION 16: Other information

Issue date : 13/11/2025

Full text of H-statements	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Safety Data Sheet (SDS), New Zealand

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



JET PRO WORKING SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)
Issue date: 13/11/2025 Version: 1.0

SECTION 1: Identification

1.1 Product identifier

Product name : JET PRO WORKING SOLUTION
Product form : Mixture

1.2 Other means of identification

No additional information available

1.3 Recommended use of the chemical and restrictions on use

Restrictions on use : Uses other than the intended use of the product.

1.4 Details of manufacturer or importer

Manufacturer	Supplier
Tristel Solutions Limited Unit 1B Lynx Business Park Fordham Road, Newmarket Cambridgeshire CB8 7NY United Kingdom T +44 (0) 1638 721500 SDS@tristel.com	Tristel New Zealand Ltd 23 Birch Ave, Judea Tauranga, 3110 T +64 (7) 577 1560 info@tristel.com

1.5. Emergency phone number

0800 764 766 Poisons Centre

SECTION 2: Hazard identification

2.1. Classification of the hazardous chemical

Classification according to the Environmental Protection Authority notices (EPA Hazardous Substances and New Organisms Act 1996)

Not classified

2.2. GHS Label elements, including precautionary statements

GHS NZ labelling

No labelling applicable

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition and information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
chlorine dioxide ... %	CAS-No.: 10049-04-4	<1	Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Aquatic Acute 1, H400

JET PRO WORKING SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
Self protection of the first-aider	: First aid workers will be equipped with suitable personal protective equipment.

4.2. Symptoms caused by exposure

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: May cause moderate irritation.
Symptoms/effects after eye contact	: May cause slight irritation.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract.

4.3. Medical attention and special treatment

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
------------------	--

6.1.1. For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

JET PRO WORKING SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

6.3. Methods and materials for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Keep cool. Protect from sunlight.

Packaging materials : Always store product in container of same material as original container.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

chlorine dioxide ... % (10049-04-4)

New Zealand - Occupational Exposure Limits

Local name	Chlorine dioxide
WES-TWA (OEL TWA)	0.28 mg/m ³
	0.1 ppm
Regulatory reference	Workplace Exposure Standards and Biological Exposure Indices, 14th Edition

Exposure limit values for the other components

No additional information available

8.2. Monitoring methods

No additional information available

8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment : Wear recommended personal protective equipment.

Hand protection : Avoid contact with skin.

Eye protection : Avoid contact with eyes.

Respiratory protection : Ensure there is sufficient ventilation of the area during use.

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

Physical state : Liquid

Appearance : Foam

Colour : Colourless.

Odour : characteristic

Odour threshold : No additional information available

pH : 3.5 – 5.5

JET PRO WORKING SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

Evaporation rate	: No additional information available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: Melting point: Not applicable
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Flammability	: Non flammable.
Vapour pressure	: No additional information available
Relative density	: No additional information available
Density	: No additional information available
Solubility	: No additional information available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Explosive limits	: No additional information available
Minimum ignition energy	: No data available

SECTION 10: Stability and reactivity

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Toxicity

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

chlorine dioxide ... % (10049-04-4)

LD50 oral rat	93.86 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral)), Remarks on results: other:, 95% CL: 45,52 - 193,53
LC50 Inhalation - Rat (Vapours)	0.041 mg/l Source: ECHA

Skin corrosion/irritation	: Not classified pH: 3.5 – 5.5
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified

JET PRO WORKING SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

Hazardous to the aquatic environment, long-term (chronic)	: Not classified
Soil toxicity	: Not classified
Terrestrial vertebrate toxicity	: Not classified
Terrestrial invertebrate toxicity	: Not classified

chlorine dioxide ... % (10049-04-4)

LC50 - Fish [1]	75 mg/l Test organisms (species): Cyprinodon variegatus
LC50 - Fish [2]	0.021 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	0.063 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	1096 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.324 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	≥ 500 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 500 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '36 d'
LD50 oral rat	93.86 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral)), Remarks on results: other: 95% CL: 45,52 - 193,53

12.2. Persistence and degradability

JET PRO WORKING SOLUTION	
Persistence and degradability	Biodegradability in water: no data available.
chlorine dioxide ... % (10049-04-4)	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

JET PRO WORKING SOLUTION	
Bioaccumulative potential	No additional information available

12.4. Mobility in soil

JET PRO WORKING SOLUTION	
Mobility in soil	No additional information available

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal considerations

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

SECTION 14: Transport information

In accordance with IMDG / IATA / UN RTDG

JET PRO WORKING SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

IMDG	IATA	UNRTDG
14.1. UN number		
Not applicable	Not applicable	Not applicable
14.2. UN Proper Shipping Name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Not applicable	Not applicable	Not applicable
No supplementary information available		

14.6. Special precautions for user

Transport by road and rail

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

14.7. Transport in bulk according to IMO instruments

Not applicable

14.8. Hazchem or Emergency Action Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

15.2. Chemical safety assessment

Australian Inventory of Industrial Chemicals (AICIS)	All substances are listed
--	---------------------------

SECTION 16: Other information

Issue date : 13/11/2025

Full text of H-statements	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H301	Toxic if swallowed
H314	Causes severe skin burns and eye damage

JET PRO WORKING SOLUTION

Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

Full text of H-statements	
H400	Very toxic to aquatic life

Safety Data Sheet (SDS), New Zealand

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.